SECTION 2

Time — 25 minutes 20 Questions

Turn to Section 2 (page 4) of your answer sheet to answer the questions in this section.

Directions: For this section, solve each problem and decide which is the best of the choices given. Fill in the corresponding circle on the answer sheet. You may use any available space for scratchwork.

- The use of a calculator is permitted.
- All numbers used are real numbers.
- 3. Figures that accompany problems in this test are intended to provide information useful in solving the problems. They are drawn as accurately as possible EXCEPT when it is stated in a specific problem that the figure is not drawn to scale. All figures lie in a plane unless otherwise indicated.
- Unless otherwise specified, the domain of any function f is assumed to be the set of all real numbers x for which f(x) is a real number.

Reference Information

Notes

















 $C = 2\pi r$

 $A = \frac{1}{2}bh$

 $V = \ell wh$

 $c^2 = a^2 + b^2$

Special Right Triangles

The number of degrees of arc in a circle is 360.

The sum of the measures in degrees of the angles of a triangle is 180.

- 1. When 70,000 is written as 7.0×10^n , what is the value of n?
 - (A) 1
 - (B) 2
 - (C) 3
 - (D) 4
 - (E) 5
- 2. On a car trip Sam drove m miles, Kara drove twice as many miles as Sam, and Darin drove 20 fewer miles than Kara. In terms of m, how many miles did Darin drive?
 - (A) 2m + 20
 - (B) 2m 20


 - (E) $\frac{m}{2} 20$

- **3.** If x and y are positive integers, what are all the solutions (x, y) of the equation 3x + 2y = 11?
 - (A) (1,4) only
 - (B) (3,1) only
 - (C) (1,4) and (2,2)
 - (D) (1,4) and (3,1)
 - (E) (2,2) and (3,1)

- **4.** A company's profit, P, in dollars, for producing x machines in one day is given by $P = 500x 20x^2$. If the company produces 10 machines in one day, then, according to this formula, what is the profit for that day?
 - (A) \$5,000
 - (B) \$4,000
 - (C) \$3,000
 - (D) \$2,000
 - (E) \$1,000

$$12 - n$$
, 12 , $12 + n$

- **5.** What is the average (arithmetic mean) of the 3 quantities in the list above?
 - (A) 4
 - (B) 12
 - (C) 18
 - (D) $4 + \frac{n}{3}$
 - (E) $12 + \frac{n}{3}$




- **6.** In isosceles triangle ABC above, \overline{AM} and \overline{CM} are the angle bisectors of angle BAC and angle BCA. What is the measure of angle AMC?
 - (A) 110°
 - (B) 115°
 - (C) 120°
 - (D) 125°
 - (E) 130°

- 7. A fruit salad is made from pineapples, pears, and peaches mixed in the ratio of 2 to 3 to 5, respectively, by weight. What fraction of the mixture by weight is pineapple?
 - (A) $\frac{1}{5}$
 - (B) $\frac{3}{10}$
 - (C) $\frac{2}{5}$
 - (D) $\frac{1}{2}$
 - (E) $\frac{2}{3}$



- **8.** In the figure above, square RSTU is inscribed in the circle. What is the degree measure of arc \widehat{ST} ?
 - (A) 45°
 - (B) 60°
 - (C) 90°
 - (D) 120°
 - (E) 180°
- **9.** If *P* and *Q* are two sets of numbers, and if every number in *P* is also in *Q*, which of the following CANNOT be true?
 - (A) 4 is in both P and Q.
 - (B) 5 is in neither P nor Q.
 - (C) 6 is in P, but not in Q.
 - (D) 7 is in Q, but not in \tilde{P} .
 - (E) If 8 is not in Q, then 8 is not in P.

- **10.** What is the maximum number of rectangular blocks measuring 3 inches by 2 inches by 1 inch that can be packed into a cube-shaped box whose interior measures 6 inches on an edge?
 - (A) 24
 - (B) 28
 - (C) 30
 - (D) 36
 - (E) 40
- 11. If $a \ne 0$ and $\frac{5}{x} = \frac{5+a}{x+a}$, what is the value of x?
 - (A) -5
 - (B) -1
 - (C) 1
 - (D) 2
 - (E) 5




- **12.** The figure above is composed of 25 small triangles that are congruent and equilateral. If the area of $\triangle DFH$ is 10, what is the area of $\triangle AFK$?
 - (A) 40
 - (B) 42.5
 - (C) 50
 - (D) 52.5
 - (E) 62.5

$$3x + 2y + 2z = 19$$


$$3x + y + z = 14$$

- 13. If the equations above are true, which of the following is the value of y + z?
 - (A) -5
 - (B) -4
 - (C) 0
 - (D) 4
 - (E) 5

- **14.** A boat costs x dollars, and this cost is to be shared equally by a group of people. In terms of x, how many dollars less will each person contribute if there are 4 people in the group instead of 3?
 - (A) $\frac{x}{12}$
 - (B) $\frac{x}{4}$
 - (C) $\frac{x}{3}$
 - (D) $\frac{7x}{12}$
 - (E) 7x
- **15.** If y = 2x + 3 and x < 2, which of the following represents all the possible values for y?
 - (A) y < 7
 - (B) y > 7
 - (C) y < 5
 - (D) y > 5
 - (E) 5 < y < 7




- **16.** The graphs of the functions f and g in the interval from x = -2 to x = 2 are shown above. Which of the following could express g in terms of f?
 - $(A) \quad g(x) = f(x+1)$
 - (B) g(x) = f(x) + 1
 - (C) g(x) = f(x+1) + 1
 - (D) g(x) = f(x-1)
 - (E) g(x) = f(x) 1



- 17. In the figure above, a shaded polygon which has equal sides and equal angles is partially covered with a sheet of blank paper. If x + y = 80, how many sides does the polygon have?
 - (A) Ten
 - (B) Nine
 - (C) Eight
 - (D) Seven
 - (E) Six



- **18.** If *s*, *t*, *u*, and *v* are the coordinates of the indicated points on the number line above, which of the following is greatest?
 - (A) |s+t|
 - (B) |s+v|
 - (C) |s-t|
 - (D) |s-v|
 - (E) |s+u|



- 19. On the day of a rainstorm, the depth of the water at a certain location along the Winding River was recorded hourly, and the results are indicated in the line graph above. Each unit on the vertical axis represents 1 foot. If the depth of the water decreased 10 percent from 3:00 P.M. to 4:00 P.M., what was the depth of the water at 4:00 P.M.?
 - (A) 3 feet
 - (B) 15 feet
 - (C) 18 feet
 - (D) 20 feet
 - (E) 30 feet
- **20.** For all numbers a and b, let $a \odot b$ be defined by $a \odot b = ab + a + b$. For all numbers x, y, and z, which of the following must be true?

I.
$$x \odot y = y \odot x$$

II.
$$(x-1)\odot(x+1) = (x\odot x) - 1$$

III.
$$x \odot (y + z) = (x \odot y) + (x \odot z)$$

- (A) I only
- (B) II only
- (C) III only
- (D) I and II only
- (E) I, II, and III

STOP

If you finish before time is called, you may check your work on this section only.

Do not turn to any other section in the test.







SECTION 6

Time — 25 minutes 18 Questions

Turn to Section 6 (page 6) of your answer sheet to answer the questions in this section.


Directions: This section contains two types of questions. You have 25 minutes to complete both types. For questions 1-8, solve each problem and decide which is the best of the choices given. Fill in the corresponding circle on the answer sheet. You may use any available space for scratchwork.

1. The use of a calculator is permitted.

2. All numbers used are real numbers.

Figures that accompany problems in this test are intended to provide information useful in solving the problems. They are drawn as accurately as possible EXCEPT when it is stated in a specific problem that the figure is not drawn to scale. All figures lie in a plane unless otherwise indicated.

 Unless otherwise specified, the domain of any function f is assumed to be the set of all real numbers x for which f(x) is a real number.



Notes


 $C = 2\pi r$



 $A = \ell w$



 $A = \frac{1}{2}bh$



 $V = \ell wh$



 $c^2 = a^2 + b^2$




Special Right Triangles

The number of degrees of arc in a circle is 360.

The sum of the measures in degrees of the angles of a triangle is 180.

- **1.** If x + k = 12 and p(x + k) = 36, what is the value of p?
 - (A) 3
 - (B) 4
 - 6 (C) 9 (D)
 - (E) 12


- 2. If 13 is added to one-half of a certain number, the result is 37. What is the original number?
 - (A) 24
 - (B) 40
 - (C) 48
 - (D) 61 (E) 80



- 3. In the figure above, the usual route from Town A to Town D is indicated by the solid line. The broken line indicates a detour route from B to C through E. Each line segment is labeled with its length in miles. How many more miles is the trip from Town A to Town D via the detour than via the usual route?
 - (A) 4
 - (B) 8
 - (C) 10
 - (D) 12
 - (E) 18

x	у
1	7.5
2	13.0
3	18.5
4	24.0

- **4.** Which of the following equations expresses *y* in terms of *x* for each of the four pairs of values shown in the table above?
 - (A) y = 5x + 7.5
 - (B) y = 5.5x + 2
 - (C) y = 5.5x + 7.5
 - (D) y = 7.5x
 - (E) y = 7.5x + 5.5



Note: Figure not drawn to scale.

- **5.** In the figure above, point B lies on \overline{AC} . If x and y are integers, which of the following is a possible value of x?
 - (A) 30
 - (B) 35
 - (C) 40
 - (D) 50
 - (E) 55
- 6. The least and greatest numbers in a list of 7 real numbers are 2 and 20, respectively. The median of the list is 6, and the number 3 occurs most often in the list. Which of the following could be the average (arithmetic mean) of the numbers in the list?
 - I. 7
 - II. 8.5
 - III. 10
 - (A) I only
 - (B) I and II only
 - (C) I and III only
 - (D) II and III only
 - (E) I, II, and III

- **7.** In the *xy*-coordinate plane, how many points are a distance of 4 units from the origin?
 - (A) One
 - (B) Two
 - (C) Three
 - (D) Four
 - (E) More than four

Family	Number of Consecutive Nights
Jackson	10
Callan	5
Epstein	8
Liu	6
Benton	8

- 8. The table above shows the number of consecutive nights that each of five families stayed at a certain hotel during a 14-night period. If the Liu family's stay did not overlap with the Benton family's stay, which of the 14 nights could be a night on which only one of the five families stayed at the hotel?
 - (A) The 3rd
 - (B) The 5th
 - (C) The 6th
 - (D) The 8th
 - (E) The 10th







Unauthorized copying or reuse of any part of this page is illegal.







9

SECTION 9

Time — 20 minutes 16 Questions

Turn to Section 9 (page 7) of your answer sheet to answer the questions in this section.

Directions: For this section, solve each problem and decide which is the best of the choices given. Fill in the corresponding circle on the answer sheet. You may use any available space for scratchwork.

- 1. The use of a calculator is permitted.
- 2. All numbers used are real numbers.

Notes

- 3. Figures that accompany problems in this test are intended to provide information useful in solving the problems. They are drawn as accurately as possible EXCEPT when it is stated in a specific problem that the figure is not drawn to scale. All figures lie in a plane unless otherwise indicated.
- Unless otherwise specified, the domain of any function f is assumed to be the set of all real numbers x for which
 f(x) is a real number.

Reference Information



 $A = \pi r^2$ $C = 2\pi r$



 $= \ell w$ A



 $A = \frac{1}{2}bh$



 $V = \ell wh$



 $V = \pi r^2 h$



 $c^2 = a^2 + b^2$






Special Right Triangles

The number of degrees of arc in a circle is 360.

The sum of the measures in degrees of the angles of a triangle is 180.

- 1. If $\frac{1}{3}y + 9 = 0$, then y =
 - (A) -27
 - (B) **-**9
 - (C) -3
 - (D) 3
 - (E) 27



- 2. In the figure above, *P*, *Q*, and *R* lie on the same line. *P* is the center of the larger circle, and *Q* is the center of the smaller circle. If the radius of the larger circle is 4, what is the radius of the smaller circle?
 - (A) 1
 - (B) 2
 - (C) 4
 - (D) 8
 - (E) 16







Unauthorized copying or reuse of any part of this page is illegal.








9

- 3. Roy planted corn on $\frac{1}{5}$ of his land. If he planted 45 acres of corn, how many acres of land does he have?
 - (A) 90
 - (B) $112\frac{1}{2}$
 - (C) 135
 - (D) 225
 - (E) $337\frac{1}{2}$

6, 10, 18, 34, 66

- **4.** The first number in the list above is 6. Which of the following gives a rule for finding each successive number in the list?
 - (A) Add 4 to the preceding number.
 - (B) Take $\frac{1}{2}$ of the preceding number and then add 7 to that result.
 - (C) Double the preceding number and then subtract 2 from that result.
 - (D) Subtract 2 from the preceding number and then double that result.
 - (E) Triple the preceding number and then subtract 8 from that result.



- **5.** The two semicircles in the figure above have centers R and S, respectively. If RS = 12, what is the total length of the darkened curve?
 - (A) 8π
 - (B) 9π
 - (C) 12π
 - (D) 15π
 - (E) 16π

- **6.** If h and k are positive numbers and h + k = 7, then $\frac{7 k}{h} =$
 - (A) 1
 - (B)
 - (C) -1
 - (D)
 - (E) k-1

Country	Total Population	Population Density
A	6,500,000 people	600 people per square mile
В	7,600,000 people	400 people per square mile

- **7.** The table above shows the populations of two countries and their population densities. The number of square miles in the area of Country *B* is approximately how much greater than the number of square miles in the area of Country *A*?
 - (A) 200
 - (B) 3,600
 - (C) 5,000
 - (D) 8,000
 - (E) 905,000,000
- **8.** If $x^2 = x + 6$, which of the following must be true?
 - (A) x = 6
 - (B) x < 3
 - (C) x > 0
 - (D) $x^2 < x$
 - (E) $x^2 > x$







Unauthorized copying or reuse of any part of this page is illegal.









9

- **9.** Let the function f be defined by f(x) = 5x 2a, where a is a constant. If f(10) + f(5) = 55, what is the value of a?
 - (A) -5
 - (B) 0
 - (C) 5
 - (D) 10
 - (E) 20
- **10.** A number is called "even-odd" if it is halfway between an even integer and an odd integer. If *x* is an even-odd number, which of the following must be true?
 - I. 2x is an integer.
 - II. 2x is even-odd.
 - III. x is halfway between two even integers.
 - (A) I only
 - (B) II only
 - (C) I and II only
 - (D) II and III only
 - (E) I, II, and III
- 11. If m is a positive integer, which of the following is NOT equal to $(2^4)^m$?
 - (A) 2^{4m}
 - (B) 4^{2m}
 - (C) $2^m (2^{3m})$
 - (D) $4^m \left(2^m\right)$
 - (E) 16^{m}



- **12.** According to the graph above, in which year was the ratio of the number of students enrolled at School *B* to the number of students enrolled at School *A* the greatest?
 - (A) 1990
 - (B) 1991
 - (C) 1992
 - (D) 1993
 - (E) 1994



- **13.** In the figure above, $\ell \parallel m$. Which of the following must equal 180 ?
 - (A) k + n + r
 - (B) k + p + s
 - (C) n+p+s
 - (D) n + p + t
 - (E) r + s + t

- **14.** How many different ordered pairs (x, y) are there such that x is an even integer, where $4 \le x \le 10$, and y is an integer, where 4 < y < 10?
 - (A) 8
 - (B) 12
 - (C) 20
 - (D) 30
 - (E) 36

$$n(t) = 500(0.81)^t$$

- 15. The function above can be used to model the population of a certain endangered species of animal. If n(t) gives the number of the species living t decades after the year 1900, which of the following is true about the population of the species from 1900 to 1920?
 - (A) It increased by about 1,000.
 - (B) It increased by about 320.
 - (C) It decreased by about 180.
 - (D) It decreased by about 320.
 - (E) It decreased by about 1,000.

- **16.** A sphere of radius r inside a cube touches each one of the six sides of the cube. What is the volume of the cube, in terms of r?
 - (A) r^3
 - (B) $2r^3$
 - (C) $4r^3$
 - (D) $\frac{4}{3}\pi r^{\frac{3}{2}}$
 - (E) $8r^3$

STOP

If you finish before time is called, you may check your work on this section only.

Do not turn to any other section in the test.