



Autonomous and non-autonomous fixed-time leader–follower consensus for second-order multi-agent systems

M. A. Trujillo · R. Aldana-López ·
D. Gómez-Gutiérrez · M. Defoort ·
J. Ruiz-León · H. M. Becerra

Received: 1 June 2020 / Accepted: 3 November 2020 / Published online: 13 November 2020
© Springer Nature B.V. 2020

Abstract This paper addresses the problem of consensus tracking with fixed-time convergence, for leader–follower multi-agent systems with double-integrator dynamics, where only a subset of followers has access to the state of the leader. The control scheme is divided into two steps. The first one is dedicated to the estimation of the leader state by each follower in a distributed way and in a fixed-time. Then, based on the estimate of the leader state, each follower computes its control law to track the leader in a fixed-time. In this paper, two control strategies are investigated and compared

to solve the two mentioned steps. The first one is an autonomous protocol which ensures a fixed-time convergence for the observer and for the controller parts where the Upper Bound of the Settling-Time (UBST) is set a priori by the user. Then, the previous strategy is redesigned using time-varying gains to obtain a non-autonomous protocol. This enables to obtain less conservative estimates of the UBST while guaranteeing that the time-varying gains remain bounded. Some numerical examples show the effectiveness of the proposed consensus protocols.

M. A. Trujillo · J. Ruiz-León
CINVESTAV Unidad Guadalajara, Av. del Bosque 1145,
45019 Zapopan, Jalisco, Mexico

R. Aldana-López
Department of Computer Science and Systems
Engineering, University of Zaragoza, 50009 Zaragoza,
Spain

D. Gómez-Gutiérrez (✉)
Intel Tecnología de México, Intel Labs, Multi-agent
Autonomous Systems Lab, Zapopan, Jalisco, Mexico
e-mail: David.Gomez.G@ieee.org

D. Gómez-Gutiérrez
Escuela de Ingeniería y Ciencias, Tecnológico de
Monterrey, Zapopan, Jalisco, Mexico

M. Defoort
LAMIH, UMR CNRS 8201, INSA, Polytechnic University
of Hauts-de-France, 59313 Valenciennes, France

H. M. Becerra
Department of Computer Science, Centro de Investigación en
Matemáticas (CIMAT), Jalisco S/N, Col. Valenciana, 36023
Guanajuato, Mexico

Keywords Leader–follower consensus · Fixed-time convergence · Multi-agent systems · Fixed-time observer · Second-order systems

1 Introduction

In the last years, the problems of coordination and control of Multi-Agent System (MAS) have been widely studied (see for instance [3, 24, 38, 40, 47]), due mainly to the ability of a MAS to face complex tasks that a single agent is not able to handle. Distributed control approaches applied to a MAS require a communication network allowing to share information with a subset of agents (neighbors). In this context, several interesting problems and applications have been investigated in the literature, for instance, synchronization of complex networks [8], distributed resource allocation [55], consensus [39] and formation control of multiple agents

[36]. Among all the mentioned problems, an interesting one is the leader–follower consensus problem where a set of agents, through local interaction, converge to the state of a leader, even though the leader may not be accessible for all agents.

The consensus problem consists in reaching a common agreement state by exchanging only local information [39,45]. Linear average consensus protocols with asymptotic convergence were proposed in [39,45]. It has been demonstrated that the second smallest eigenvalue of the Laplacian graph (i.e., the algebraic connectivity) determines the convergence rate of the MAS. Furthermore, the problem of tracking a reference by a MAS (i.e., leader–follower consensus problem) has been investigated where the common agreement to reach is the state of a reference imposed by a leader which evolves independently of the MAS [13,19,33,46]. In [46], the consensus problem has been addressed where the agents reach a time-varying reference. However, the control protocol has been derived for first-order MAS. The problem for second-order MAS has been studied in [19] and extended to high-order MAS in [13,33]. Furthermore, [26] has considered the consensus tracking control problem of uncertain nonlinear MAS with predefined accuracy. Nevertheless, in these works, the convergence is only asymptotic.

To improve the convergence rate of a MAS, finite-time consensus protocols have been investigated in [49]. Finite-time stability has been studied in [11,29,59]. However, the settling time is an unbounded function of the initial conditions of the system. Therefore, the concept of fixed-time stability has been introduced and applied to systems with time constraints [1,41,48]. In this case, the settling time is bounded by a constant which is independent of the initial conditions of the system. In the literature, there are several contributions on algorithms with fixed-time convergence property, such as stabilizing controllers [41,42], state observers [27], multi-agent coordination [2,16], online differentiation algorithms [7,15]. Nevertheless, one can mention that the fixed-time stabilization problem of second-order systems is not an easy task since usually the settling time is not provided or is overestimated. Indeed, there are several works for second-order systems stabilization based on block-control techniques ([23,41,61,63]) or on the homogeneity in the bi-limit ([52]). However, the homogeneity-based algorithms do not provide an estimate of the settling time and many

block-control-based algorithms neglect some transient when the system trajectories stay on a region around a manifold. Moreover, the works [21,22,58,62] deal with the problem of leader–follower consensus. Nevertheless, these algorithms require that each follower know the inputs of its neighbors simultaneously, which causes communication loop problems. In this paper, we address the leader–follower consensus problem of a MAS, where each agent of the MAS estimates and tracks the trajectory of the leader using local available information even when just a subset of MAS has access to the leader state, and we provide the necessary conditions to achieve the convergence in a fixed-time.

A Lyapunov differential inequality for an autonomous system to exhibit fixed-time stability was presented in [41]. Based on this methodology using autonomous systems, the consensus problem with fixed-time convergence property has been derived for first-order MAS in [2,65,66]. Nevertheless, in [66], the UBST has been estimated from design parameters, algebraic connectivity and group order. Thus, it cannot be easily tuned. In [2], the UBST was a design parameter which was established a priori by the user. However, the settling time becomes over-estimated and the slack between the settling time and the UBST is conservative. Furthermore, the works [6,35,64] have addressed the consensus tracking problem, i.e., the MAS follows a trajectory imposed by the leader. The scheme presented in [35] has introduced a fixed-time algorithm considering inherent dynamics for the agents. However, disturbances were not taken into account. The leader–follower consensus problem for agents with second-order and high order integrator dynamics has been addressed in [51,64], respectively. The approach was based on a fixed-time observer to estimate the leader state and a fixed-time controller to drive the state of the agent to the estimated leader state. Unfortunately, although the observer can be designed to converge at a desired UBST (with a conservative estimate of the UBST), the controller is based on the homogeneity theory [5] and no methodology has been provided to estimate an UBST. Thus, although the algorithm is fixed-time convergent, the desired convergence time cannot be set a priori by the user. To address this issue, autonomous algorithms were proposed in [31,32,50] with an estimation of the UBST. Unfortunately, such estimate of the UBST results very conservative leading to over-engineered consensus protocols. Therefore, the design of fixed-time leader–follower consensus algo-

rithms where the UBST is set explicitly as a parameter of the system, as well as the reduction in the conservativeness of the estimate of the UBST is of a great interest.

An approach to derive predefined-time consensus algorithms has been addressed via a linear function of the sum of the errors between neighboring nodes together with a time-varying gain, using time base generators [28], see, e.g., [14, 25, 34, 53, 54, 56, 57, 60]. This approach ensures that the convergence is obtained exactly at a predefined time. However, such time-varying gain becomes singular at the predefined time, either because the gain goes to infinite as the time tends to the predefined time [56, 57, 60] or because it produces Zeno behavior (infinite number of switching in a finite-time interval) as the time tends to the predefined time [25].

In this paper, we present a methodology to achieve leader–follower consensus with fixed-time convergence. It consists in two steps. The first one estimates the leader state (position and velocity) using a fixed-time observer that only requires information of the neighbors. Then, the second step computes the control law to drive the followers to the observer states in a fixed-time. Moreover, we investigate two protocols to solve the considered problems. In one protocol, called autonomous protocol, the convergence for the observer and for the controller is in fixed-time, where the UBST is established a priori by the user. In the second protocol, called non-autonomous protocol, we redesign the previous one by adding time-varying gains to obtain a less conservative estimate of the UBST while guaranteeing that the time-varying gains remain bounded. The contribution lies in the following. A novel protocol is derived for second-order MAS with fixed-time stability where the UBST is a design parameter. Moreover, a non-autonomous protocol is presented to achieve the convergence in a predefined-time with less conservative estimates of the UBST compared to existing in the literature. In fact, the resulting UBST can be made arbitrarily tight. At last, our algorithm yields a bounded time-varying gain, thus we avoid the drawbacks present in the existing algorithms with time-varying gains where the gain goes to infinity.

This work is structured as follows. Section 2 recalls some definitions and results from graph theory, and preliminaries on finite-time and fixed-time convergence are presented. In Sect. 3, the problem of consensus tracking with fixed-time convergence is formulated.

Section 4 introduces two methodologies to solve the consensus tracking problem. The first (resp. second) one is based on algorithms to obtain a fixed-time stable autonomous (resp. non-autonomous) system with an UBST function independent of the initial conditions of the system. Numerical results using both methodologies are shown in Sect. 6. Finally, the conclusions are presented in Sect. 7.

2 Preliminaries

2.1 Graph theory

In this section, some notations and preliminaries about graph and consensus theory are presented. One can refer to [17, 37] for a deeper insight in these fields. This paper is only focused on undirected graphs for the follower agents.

Definition 1 A graph consists of a set of vertices $\mathcal{V}(\mathcal{X})$ and a set of agents $\mathcal{E}(\mathcal{X})$ where an edge is an unordered pair of distinct vertices of \mathcal{X} . ij denotes an edge, if vertex i and vertex j are adjacent or neighbors. The set of neighbors of i in graph \mathcal{X} is expressed by $\mathcal{N}_i(\mathcal{X}) = \{j \in \mathcal{X} : ji \in \mathcal{E}(\mathcal{X})\}$.

Definition 2 A path from i to j in a graph is a sequence of distinct vertices starting with i and ending with j such that consecutive vertices are adjacent. If there is a path between any two vertices of graph \mathcal{X} , then \mathcal{X} is said to be connected.

Definition 3 Let \mathcal{X} be a weighted graph such that $ij \in \mathcal{E}$ has weight a_{ij} and let $N = |\mathcal{V}(\mathcal{X})|$. Then, the adjacency matrix $A(\mathcal{X})$ (or simply A when the graph is clear from the context) is an $N \times N$ matrix where $A = [a_{ij}]$ and, the Laplacian is denoted by $\mathcal{Q}(\mathcal{X})$ (or simply \mathcal{Q}) and is defined as $\mathcal{Q}(\mathcal{X}) = \Delta(\mathcal{X}) - A(\mathcal{X})$ where $\Delta(\mathcal{X}) = \text{diag}(d_1, \dots, d_N)$ with $d_i = \sum_{j \in \mathcal{N}_i} a_{ij}$.

Through this work, it is assumed that $a_{ij} = a_{ji}$, i.e., only undirected and balanced graphs are considered.

Definition 4 Let $\hat{\mathcal{X}}$ be a weighted graph among all the agents (i.e., the leader and the followers). Then, the communication matrix between all the agents is represented by $\mathcal{M}(\hat{\mathcal{X}}) = \mathcal{Q}(\mathcal{X}) + \mathcal{B}$ where $\mathcal{B} = \text{diag}(b_1 \dots b_N) \in \mathbb{R}^{N \times N}$ with $b_i > 0$ when there is an edge from the leader to the i -agent and $\mathcal{Q}(\mathcal{X})$ is the weighted graph associated with the communication topology of the followers.

Lemma 1 [33,44] *Let $\hat{\mathcal{X}}$ be the communication graph among all the agents with the leader as the root. Then, matrix $\mathcal{M}(\hat{\mathcal{X}})$ is symmetric positive definite.*

2.2 On finite-time and fixed-time

Consider the system

$$\dot{x}(t) = f(x(t), t; \rho), \quad x(0) = x_0 \tag{1}$$

where $x \in \mathbb{R}^n$ is the system state, the vector $\rho \in \mathbb{R}^b$ stands for more parameters of system (1) which are assumed to be constant, i.e., $\dot{\rho} = 0$. Furthermore, there is no limit for the number of parameters, so b can take any value in the natural number set \mathbb{N} . The function $f : \mathbb{R}^n \times \mathbb{R}_+ \rightarrow \mathbb{R}^n$ is nonlinear, and the origin is assumed to be an equilibrium point of system (1), so that $f(0, t; \rho) = 0$. Besides, when function f does not depend explicitly on t , the system is said to be autonomous or time-invariant. Otherwise, it is called non-autonomous or time-varying [20].

Definition 5 [12] The origin of (1) is globally finite-time stable if it is globally asymptotically stable and any solution $x(t; x_0)$ of (1) reaches the equilibrium point at some finite time moment, i.e., $x(t; x_0) = 0, \forall t \geq T(x_0)$ where $T : \mathbb{R}^n \rightarrow \mathbb{R}_+ \cup \{0\}$ is called the settling-time function.

Definition 6 [43] The origin of (1) is fixed-time stable if it is globally finite-time stable and the settling function is bounded, i.e., $\exists T_{\max} > 0 : T(x_0) \leq T_{\max}, \forall x_0 \in \mathbb{R}^n$.

Theorem 1 [4] *Consider the system*

$$\dot{x} = -(\alpha |x|^p + \beta |x|^q)^k \text{sign}(x), \quad x(0) = x_0 \tag{2}$$

with $x \in \mathbb{R}$. The parameters of the system are the real numbers $\alpha, \beta, p, q, k > 0$ which satisfy the constraints $kp < 1$ and $kq > 1$. Let $\rho = [\alpha, \beta, p, q, k]^T \in \mathbb{R}^5$. Then, the origin $x = 0$ of system (2) is fixed-time stable and the settling time function satisfies $T(x_0) \leq T_f = \gamma(\rho)$, where

$$\gamma(\rho) = \frac{\Gamma\left(\frac{1-kp}{q-p}\right) \Gamma\left(\frac{qk-1}{q-p}\right)}{\alpha^k \Gamma(k)(q-p)} \left(\frac{\alpha}{\beta}\right)^{\frac{1-kp}{q-p}}, \tag{3}$$

and $\Gamma(\cdot)$ is the Gamma function defined as $\Gamma(z) = \int_0^\infty e^{-t} t^{z-1} dt$ (see [10] for details on the Gamma function).

Theorem 2 [4] *Consider the system*

$$\dot{x}(t) = f(x(t), t; \rho), \quad x(0) = x_0 \tag{4}$$

where $x \in \mathbb{R}^n$ is the system state, the vector $\rho \in \mathbb{R}^b$ stands for the system parameters which are assumed to be constant. The function $f : \mathbb{R}^n \times \mathbb{R}_+ \rightarrow \mathbb{R}^n$ is such that $f(0, t; \rho) = 0$. Assume that there exists a continuous radially unbounded function $V : \mathbb{R}^n \rightarrow \mathbb{R}$ such that:

$$\begin{aligned} V(0) &= 0 \\ V(x) &> 0, \quad \forall x \in \mathbb{R}^n \setminus \{0\} \end{aligned}$$

and the derivative of V along the trajectories of (4) satisfies

$$\dot{V}(x) \leq -\frac{\gamma(\rho)}{T_c} (\alpha V(x)^p + \beta V(x)^q)^k, \quad \forall x \in \mathbb{R}^n \setminus \{0\}$$

where $\alpha, \beta, p, q, k > 0, kp < 1, kq > 1, \gamma$ is given in (3) and \dot{V} is the upper right-hand time-derivative of V . Then, the origin of (4) is predefined-time stable with predefined-time T_c .

Definition 7 For any real number r , the function $x \mapsto |x|^r$ is defined as $|x|^r = |x|^r \text{sign}(x)$ for any $x \in \mathbb{R}$ if $r > 0$, and for any $x \in \mathbb{R} \setminus 0$ if $r \leq 0$. Moreover, if $r > 0, [0]^r = 0$.

3 Problem statement

Let us consider a group of $N + 1$ agents with one leader and N followers labeled 0 and $i \in \{1, \dots, N\}$, respectively. The dynamics of the leader is described by

$$\begin{aligned} \dot{x}_0(t) &= v_0(t) \\ \dot{v}_0(t) &= u_0(t) \end{aligned}$$

where $X_0 = [x_0, v_0]^T \in \mathbb{R}^2$ is the state of the leader and $u_0 \in \mathbb{R}$ is the control input of the leader, which is assumed to satisfy $|u_0(t)| \leq u_0^{max}, \forall t \geq 0$ with u_0^{max} a known constant. The dynamics of the i -th follower agent is given by:

$$\begin{aligned} \dot{x}_i(t) &= v_i(t) \\ \dot{v}_i(t) &= u_i(t) + \Delta_i(t) \end{aligned} \tag{5}$$

where $X_i = [x_i, v_i]^T \in \mathbb{R}^2$ is the state of agent i , $u_i \in \mathbb{R}$ is the control input of agent i and Δ_i is an unknown external disturbance which is assumed to satisfy $|\Delta_i(t)| \leq \delta_i, \forall t \geq 0$ with δ_i a known constant. Besides, each agent estimates the leader states, represented by \hat{x}_i (position) and \hat{v}_i (velocity). The communication topology is represented by an undirected graph, which is assumed to contain a spanning tree with the leader agent as the root. The i -th agent shares its estimated states of the leader with its neighbors, defined by the neighbor set \mathcal{N}_i .

The control objective is to design a distributed control u_i such that the consensus is achieved in a fixed-time T_c , i.e.,

$$\begin{cases} \lim_{t \rightarrow T_c} \|X_i(t) - X_0(t)\| = 0 \\ X_i(t) = X_0(t), \quad \forall t > T_c. \end{cases}$$

This goal is achieved into two stages. An ‘‘observer,’’ based on consensus algorithms, allows each agent to obtain an estimate of the leader state in a distributed manner in a fixed-time. Then, after the observer converges, a controller drives the state of the agent toward the state trajectory of the leader. Two protocols are investigated hereafter. In the first one, known as an autonomous protocol, we guarantee that each agent is driven toward the leader state in a fixed-time, where the Upper Bound of the Settling-Time (UBST) is specified a priori by the user. In the second one, known as a non-autonomous protocol, we redesign the previous one by adding time-varying gains to obtain a less conservative estimate of the UBST while guaranteeing that the time-varying gains remain bounded.

4 Fixed-time leader–follower consensus using autonomous protocols

4.1 Distributed fixed-time observer

Since the leader state is not available to all followers, for each agent, an observer is designed to estimate the state of the leader in a fixed-time. The observer has the following structure:

$$\begin{aligned} \dot{\hat{x}}_i &= \hat{v}_i - \kappa_{i,x} \left[(\alpha|e_{1,i}|^p + \beta|e_{1,i}|^q)^k + \zeta_x \right] \text{sign}(e_{1,i}) \\ \dot{\hat{v}}_i &= -\kappa_{i,v} \left[(\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k + \zeta_v \right] \text{sign}(e_{2,i}) \end{aligned} \tag{6}$$

with $e_{1,i} = \sum_{j \in \mathcal{N}_i} a_{ij}(\hat{x}_j(t) - \hat{x}_i(t)) + b_i(x_0(t) - \hat{x}_i(t))$ and $e_{2,i} = \sum_{j \in \mathcal{N}_i} a_{ij}(\hat{v}_j(t) - \hat{v}_i(t)) + b_i(v_0(t) - \hat{v}_i(t))$, \hat{x}_i (resp. \hat{v}_i) is the estimate of the leader position (resp. velocity) for the i -th follower. $\kappa_{i,x}, \kappa_{i,v}, \alpha, \beta, k, p, q, \zeta_x$ and ζ_v are positive constants to be defined later.

For each agent, let us denote the observer errors as

$$\begin{aligned} \tilde{x}_i &= \hat{x}_i - x_0 \\ \tilde{v}_i &= \hat{v}_i - v_0. \end{aligned} \tag{7}$$

Therefore, the observation error dynamics can be expressed as:

$$\begin{aligned} \dot{\tilde{x}}_i &= \tilde{v}_i - \kappa_{i,x} \left[(\alpha|e_{1,i}|^p + \beta|e_{1,i}|^q)^k + \zeta_x \right] \text{sign}(e_{1,i}) \\ \dot{\tilde{v}}_i &= -\kappa_{i,v} \left[(\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k + \zeta_v \right] \text{sign}(e_{2,i}) - u_0 \end{aligned} \tag{8}$$

with $e_{1,i} = \sum_{j \in \mathcal{N}_i} a_{ij}(\tilde{x}_j(t) - \tilde{x}_i(t)) - b_i \tilde{x}_i(t)$ and $e_{2,i} = \sum_{j \in \mathcal{N}_i} a_{ij}(\tilde{v}_j(t) - \tilde{v}_i(t)) - b_i \tilde{v}_i(t)$.

In a compact form, with $\tilde{x} = [\tilde{x}_1 \cdots \tilde{x}_N]^T \in \mathbb{R}^N$ and $\tilde{v} = [\tilde{v}_1 \cdots \tilde{v}_N]^T \in \mathbb{R}^N$, system (8) can be written as:

$$\begin{aligned} \dot{\tilde{x}} &= \tilde{v} - \Phi_x \left(\mathcal{M}(\hat{\mathcal{X}}) \tilde{x} \right) \\ \dot{\tilde{v}} &= -\Phi_v \left(\mathcal{M}(\hat{\mathcal{X}}) \tilde{v} \right) - \mathbf{1}u_0 \end{aligned} \tag{9}$$

where $\mathcal{M}(\hat{\mathcal{X}})$ represents the connection matrix of the graph describing the network between the followers and the leader, and for $z = [z_1 \cdots z_N]^T \in \mathbb{R}^N$, the functions $\Phi_x : \mathbb{R}^N \rightarrow \mathbb{R}^N$ and $\Phi_v : \mathbb{R}^N \rightarrow \mathbb{R}^N$ are defined as

$$\begin{aligned} \Phi_x(z) &= \begin{bmatrix} \kappa_{1,x} \left[(\alpha|z_1|^p + \beta|z_1|^q)^k + \zeta_x \right] \text{sign}(z_1) \\ \vdots \\ \kappa_{N,x} \left[(\alpha|z_N|^p + \beta|z_N|^q)^k + \zeta_x \right] \text{sign}(z_N) \end{bmatrix}, \\ \Phi_v(z) &= \begin{bmatrix} \kappa_{1,v} \left[(\alpha|z_1|^p + \beta|z_1|^q)^k + \zeta_v \right] \text{sign}(z_1) \\ \vdots \\ \kappa_{N,v} \left[(\alpha|z_N|^p + \beta|z_N|^q)^k + \zeta_v \right] \text{sign}(z_N) \end{bmatrix}. \end{aligned}$$

Theorem 3 *If the observer parameters are selected as $\alpha, \beta, p, q, k > 0, kp < 1, kq > 1, \zeta_x \geq 0,$*

$$\begin{aligned} \kappa_x &\geq \frac{N\gamma(\rho)}{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))T_{c_2}}, \kappa_v \\ &\geq \frac{N\gamma(\rho)}{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))T_{c_1}} \text{ and } \kappa_v \zeta_v \geq u_0^{max} \end{aligned}$$

where

$$\kappa_x = \min_{i \in \{1 \dots N\}} \kappa_{i,x} \text{ and } \kappa_v = \min_{i \in \{1 \dots N\}} \kappa_{i,v}$$

and $\gamma(\rho)$ is defined in Equation (3), then under the distributed observer (6), the observer error dynamics (8) is fixed-time stable with a predefined-time $T_o = T_{c_1} + T_{c_2}$.

Proof Consider the radially unbounded Lyapunov function candidate

$$V_1(\tilde{v}) = \frac{1}{N} \sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))} \tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}.$$

Its time-derivative along the trajectories of system (9) is

$$\dot{V}_1 = \frac{\sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))}}{N} \frac{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \dot{\tilde{v}}}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \tag{10}$$

Let us denote $e_2 = \mathcal{M}(\hat{\mathcal{X}})\tilde{v} = [e_{2,1} \dots e_{2,N}]^T$. Then, Eq. (10) can be written as follows

$$\begin{aligned} \dot{V}_1 &= \frac{\sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))}}{N} \frac{e_2^T}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \\ &\quad \times \left(-\Phi_v(\mathcal{M}(\hat{\mathcal{X}})\tilde{v}) - \mathbf{1}u_0 \right) \\ &= \frac{\sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))}}{N} \\ &\quad \times \left(-\frac{1}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \sum_{i=1}^N \kappa_{i,v} e_{2,i} [(\alpha|e_{2,i}|^p \right. \\ &\quad \left. + \dots + \beta|e_{2,i}|^q)^k + \right. \\ &\quad \left. + \zeta_v] \text{sign}(e_{2,i}) - \frac{e_2^T \mathbf{1}u_0}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \right) \end{aligned}$$

$$\begin{aligned} &= \frac{\sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))}}{N} \\ &\quad \times \left(-\frac{1}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \sum_{i=1}^N \kappa_{i,v} |e_{2,i}| (\alpha|e_{2,i}|^p \right. \\ &\quad \left. + \beta|e_{2,i}|^q)^k \right. \\ &\quad \left. - \frac{\zeta_v}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \sum_{i=1}^N \kappa_{i,v} |e_{2,i}| - \frac{e_2^T \mathbf{1}u_0}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \right) \tag{11} \end{aligned}$$

Now, using the inequality (28) of Lemma 3 in ‘‘Appendix,’’ the first term of Equation (11) can be written as

$$\begin{aligned} &\frac{1}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \sum_{i=1}^N \kappa_{i,v} |e_{2,i}| (\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k \\ &\geq \frac{N\kappa_v}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \left(\frac{1}{N} \sum_{i=1}^n |e_{2,i}| \right) \left(\alpha \left(\frac{1}{N} \sum_{i=1}^N |e_{2,i}| \right)^p \right. \\ &\quad \left. + \beta \left(\frac{1}{N} \sum_{i=1}^N |e_{2,i}| \right)^q \right)^k \end{aligned}$$

with $\kappa_v = \min\{\kappa_{1,v}, \dots, \kappa_{N,v}\}$. Since $\|e_2\|_1 = \sum_i |e_{2,i}|$ the last expression can be written as

$$\begin{aligned} &\frac{1}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \sum_{i=1}^N \kappa_{i,v} |e_{2,i}| (\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k \\ &\geq \frac{N\kappa_v}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \left(\frac{1}{N} \|e_2\|_1 \right) \left(\alpha \left(\frac{1}{N} \|e_2\|_1 \right)^p \right. \\ &\quad \left. + \beta \left(\frac{1}{N} \|e_2\|_1 \right)^q \right)^k. \end{aligned}$$

Furthermore, from Lemma 4 in ‘‘Appendix,’’ one gets

$$\begin{aligned} \|e_2\|_1 &\geq \|e_2\|_2 = \sqrt{e_2^T e_2} \\ &= \sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}})^2 \tilde{v}} \geq \sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))} \tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}. \end{aligned}$$

Hence,

$$\begin{aligned} &\frac{1}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \sum_{i=1}^N \kappa_{i,v} |e_{2,i}| (\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k \\ &\geq \frac{\kappa_v N}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} V (\alpha V^p + \beta V^q)^k \end{aligned}$$

$$= \kappa_v \sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))} (\alpha V_1^p + \beta V_1^q)^k.$$

Now, for the last two terms of Equation (11), one can obtain

$$\begin{aligned} & -\frac{\zeta_v}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \sum_{i=1}^N k_{i,v} |e_{2,i}| - \frac{e_2^T \mathbf{1} u_0}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} \\ & \leq -\frac{\|e_2\|_1}{\sqrt{\tilde{v}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{v}}} (\kappa_v \zeta_v - u_0^{max}) \leq 0. \end{aligned}$$

Therefore, the following inequality can be obtained

$$\dot{V}_1 \leq -\frac{\kappa_v \lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))}{N} (\alpha V_1^p + \beta V_1^q)^k.$$

From Theorem 2, the observation error in velocity \tilde{v} converges to the origin in a fixed-time before the predefined-time T_{c1} where $\gamma(\rho)$ is given by Eq. (3).

Once the observation error in velocity \tilde{v} converges to zero (i.e., after time T_{c1}), the observation error dynamics in position can be reduced to

$$\dot{\tilde{x}}_i = -\kappa_{i,x} \left[(\alpha |e_{1,i}|^p + \beta |e_{1,i}|^q)^k + \zeta_x \right] \text{sign}(e_{1,i}).$$

Similarly to the previous analysis, one can easily show that

$$V_2(\tilde{x}) = \frac{1}{N} \sqrt{\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))} \tilde{x}^T \mathcal{M}(\hat{\mathcal{X}}) \tilde{x}$$

satisfies

$$\dot{V}_2(\tilde{x}) \leq -\frac{\kappa_x \lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}}))}{N} (\alpha V_2^p + \beta V_2^q)^k, \forall t \geq T_{c2}.$$

From Theorem 2, the observation error in position \tilde{x} converges to the origin in a fixed-time before the predefined-time T_{c2} .

Therefore, the proposed distributed observer guarantees the estimation of the leader states in a fixed-time before the predefined-time $T_o = T_{c1} + T_{c2}$. \square

4.2 A fixed-time tracking controller

After time T_o , each agent has an accurate estimation of the leader state. For each agent, the tracking error is defined as

$$\begin{aligned} e_{x,i} &= x_i - \hat{x}_i \\ e_{v,i} &= v_i - \hat{v}_i, \end{aligned} \tag{12}$$

or, equivalently, after the convergence of the observation error:

$$\begin{aligned} e_{x,i} &= x_i - x_0 \\ e_{v,i} &= v_i - v_0. \end{aligned} \tag{13}$$

Its dynamics can be expressed as:

$$\begin{aligned} \dot{e}_{x,i} &= e_{v,i} \\ \dot{e}_{v,i} &= u_i + \Delta_i - u_0. \end{aligned}$$

Here, the objective is to design the control input u_i such that the origin $(e_{x,i}, e_{v,i}) = (0, 0)$ is fixed-time stable where the Upper Bound of the Settling-Time (UBST) is set a priori by the user, in spite of the unknown but bounded perturbation term $\Delta_i - u_0$. Hereafter, we present the following results motivated by the work [4].

Theorem 4 *If for each agent, the controller is selected as*

$$\begin{aligned} u_i &= v(e_{x,i}, e_{v,i}) \\ &= -\left[\frac{\gamma_2}{\hat{T}_{c2}} (\alpha_2 |\sigma_i|^{p'} + \beta_2 |\sigma_i|^{q'})^{k'} \right. \\ &\quad \left. + \frac{\gamma_1^2}{2\hat{T}_{c1}^2} (\alpha_1 + 3\beta_1 e_{x,i}^2) + \zeta_i(t) \right] \text{sign}(\sigma_i) \end{aligned} \tag{14}$$

with the following sliding variable

$$\sigma_i = e_{v,i} + \left[|e_{v,i}|^2 + \frac{\gamma_1^2}{\hat{T}_{c1}^2} (\alpha_1 |e_{x,i}|^1 + \beta_1 |e_{x,i}|^3) \right]^{1/2}, \tag{15}$$

where parameters are selected as $\alpha_1, \alpha_2, \beta_1, \beta_2, T'_o, \hat{T}_{c1}, \hat{T}_{c2} > 0, p', q', k' > 0, k'p' < 1, k'q' > 1,$

$\zeta_i \geq u_0^{max} + \delta_i, \gamma_1 = \frac{\Gamma(\frac{1}{4})^2}{2\alpha_1^{1/2} \Gamma(\frac{1}{2})} \left(\frac{\alpha_1}{\beta_1}\right)^{1/4}$ and $\gamma_2 = \frac{\Gamma(m_p)\Gamma(m_q)}{\alpha_2^{k'} \Gamma(k')(q'-p')} \left(\frac{\alpha_2}{\beta_2}\right)^{m_p}$ with $m_p = \frac{1-k'p'}{q'-p'}$ and $m_q = \frac{k'q'-1}{q'-p'}$, then the leader-follower consensus is achieved in a predefined-time $\hat{T}_c = T'_o + \hat{T}_{c1} + \hat{T}_{c2}$.

Proof First, the time derivative of σ_i along the trajectory of the system solution is given by

$$\dot{\sigma}_i = u_i + \Delta_i - u_0 + \frac{|e_{v,i}|(u_i + \Delta_i - u_0) + \frac{\gamma_1^2}{2\hat{T}_{c1}^2}(\alpha_1 + 3\beta_1 e_{x,i}^2)e_{v,i}}{\left| [e_{v,i}]^2 + \frac{\gamma_1^2}{\hat{T}_{c1}^2}(\alpha_1 [e_{x,i}]^1 + \beta_1 [e_{x,i}]^3) \right|^{1/2}}.$$

Using the control input u_i given by (14), one obtains

$$\begin{aligned} \dot{\sigma}_i &= -\frac{\gamma_2}{\hat{T}_{c2}} \times (\alpha_2 |\sigma_i|^{p'} + \beta_2 |\sigma_i|^{q'})^{k'} \text{sign}(\sigma_i) \\ &\times \left(1 + \frac{|e_{v,i}|}{\left| [e_{v,i}]^2 + \frac{\gamma_1^2}{\hat{T}_{c1}^2}(\alpha_1 [e_{x,i}]^1 + \beta_1 [e_{x,i}]^3) \right|^{1/2}} \right) \\ &- \frac{\gamma_1}{2\hat{T}_{c1}} \times (\alpha_1 + 3\beta_1 e_{x,i}^2) \\ &\times \left(\text{sign}(\sigma_i) + \frac{|e_{v,i}| \text{sign}(\sigma_i) - e_{v,i}}{\left| [e_{v,i}]^2 + \frac{\gamma_1^2}{\hat{T}_{c1}^2}(\alpha_1 [e_{x,i}]^1 + \beta_1 [e_{x,i}]^3) \right|^{1/2}} \right) \\ &- (\zeta_i \text{sign}(\sigma_i) - \Delta_i + u_0) \\ &\times \left(1 + \frac{|e_{v,i}|}{\left| [e_{v,i}]^2 + \frac{\gamma_1^2}{\hat{T}_{c1}^2}(\alpha_1 [e_{x,i}]^1 + \beta_1 [e_{x,i}]^3) \right|^{1/2}} \right). \end{aligned} \tag{16}$$

Let us consider the candidate Lyapunov function $V_1(\sigma_i) = |\sigma_i|$ with its time derivative as $\dot{V}_1 = \text{sign}(\sigma_i) \dot{\sigma}_i$. Since

$$\frac{|e_{v,i}|}{\left| [e_{v,i}]^2 + \frac{\gamma_1^2}{\hat{T}_{c1}^2}(\alpha_1 [e_{x,i}]^1 + \beta_1 [e_{x,i}]^3) \right|^{1/2}} \geq 0, \quad |e_{v,i}| - e_{v,i} \text{sign}(\sigma_i) \geq 0,$$

and

$$\zeta_i \geq u_0^{max} + \delta_i,$$

one can easily rewrite the Lyapunov function derivative, using (16), in the following inequality

$$\dot{V}_1(\sigma) \leq -\frac{\gamma_2}{\hat{T}_{c2}} (\alpha_2 V_1(\sigma)^{p'} + \beta_2 V_1(\sigma)^{q'})^{k'}.$$

From Theorem 2, one can deduce that σ_i converges to zero in a fixed-time \hat{T}_{c2} .

After time \hat{T}_{c2} , one obtains

$$0 = e_{v,i} + \left[[e_{v,i}]^2 + \frac{\gamma_1^2}{\hat{T}_{c1}^2}(\alpha_1 [e_{x,i}]^1 + \beta_1 [e_{x,i}]^3) \right]^{1/2},$$

which in turn implies,

$$\begin{aligned} \dot{e}_{x,i} = e_{v,i} &= -\frac{\gamma_1}{\hat{T}_{c1}} (\alpha_1 |e_{x,i}| \\ &+ \beta_1 |e_{x,i}|^3)^{1/2} \text{sign}(e_{x,i}). \end{aligned}$$

From Theorem 1, it is clear that $e_{x,i}$ converges to zero in a fixed-time before the settling time \hat{T}_{c1} . Moreover, from (15), since $\sigma_i = 0$ and $e_{x,i} = 0$, then $e_{v,i} = 0$. Hence, we can conclude that system (5) with (14) as the control input is fixed-time stable with predefined-time $\hat{T}_{c1} + \hat{T}_{c2}$. Moreover, due to Theorem 3, where the leader states are estimated in a fixed-time with the predefined settling time T_o . Hence, if $T'_o = T_o$, one can deduce that leader–follower consensus is achieved in fixed-time before the predefined-time $\hat{T}_c = T'_o + \hat{T}_{c1} + \hat{T}_{c2}$. At last, if $T'_o = 0$ and $T_o < \hat{T}_{c1} + \hat{T}_{c2}$, the leader–follower consensus is achieved before the predefined-time $\hat{T}_c = \hat{T}_{c1} + \hat{T}_{c2}$. \square

5 Fixed-time leader–follower consensus with improved estimate for the UBST using non-autonomous protocol

The autonomous leader–follower protocol presented in Sect. 4 allows a fixed-time convergence. However, the estimate of the UBST for the observer and controller is both too conservative. This is a common drawback on existing fixed-time consensus protocols, see, e.g., [16,35] for the leader–follower problem for agents with first-order integrator dynamics and [30,32] for agents with second-order integrator dynamics. To address this issue, we present new protocols, based on the class of time-varying gains proposed in [1], to significantly reduce such conservatism. Contrary to some existing protocols such as [28,54,57], where the time-varying gains become singular when consensus is reached, in our approach the convergence is achieved with bounded time-varying gains in a user-defined time.

Before designing the proposed fixed-time leader–follower consensus protocol, let us define the following functions:

Definition 8 Let us define the following

- $\Phi : \mathbb{R}_+ \rightarrow \mathbb{R}_+ \cup \{+\infty\} \setminus \{0\}$ is a continuous function on $\mathbb{R}_+ \setminus \{0\}$ that satisfies
 - $\int_0^{+\infty} \Phi(z)dz = 1$,
 - $\Phi(\tau) < +\infty, \forall \tau \in \mathbb{R}_+ \setminus \{0\}$,
 - is either non-increasing or locally Lipschitz on $\mathbb{R}_+ \setminus \{0\}$.
- $\psi : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfies

$$\psi(\tau; T_c) = T_c \int_0^\tau \Phi(\xi)d\xi$$
 with T_c a positive constant,
- η is such that

$$\eta(T) = \lim_{\tau \rightarrow T} \frac{1}{T_c} \psi(\tau; T_c) \leq 1$$
 with T a positive parameter,
- $\rho : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfies

$$\rho(\tau; T_c) = \frac{1}{T_c} \Phi(\tau)^{-1}.$$

$$u_i = \begin{cases} \varrho_3(t)^2 v(e_{x,i}, \varrho_3(t)^{-1} e_{v,i}) + \dot{\varrho}_3(t) \varrho_3(t)^{-1} e_{v,i} & \text{if } t \in [T'_o, T'_o + \eta_3(T_\gamma)T_{c_3}) \\ v(e_{x,i}, e_{v,i}) & \text{if } t \in [T'_o + \eta_3(T_\gamma)T_{c_3}, +\infty) \end{cases} \tag{18}$$

Lemma 2 [18] Let t_0 be the initial time. The function $t = \psi(\tau) + t_0$ defines a parameter transformation with $\tau = \psi^{-1}(t - t_0)$ as its inverse mapping.

To derive the fixed-time non-autonomous scheme, we define the following time-varying gain for each pre-defined settling time T_{c_i} as follows using the previously defined functions:

$$\hat{\kappa}_i(t; t_0, T_{c_i}, T) = \begin{cases} \rho_i(\psi_i^{-1}(t - t_0; T_{c_i}); T_{c_i}) & \text{if } t \in [t_0, t_0 + \eta_i(T)T_{c_i}) \\ 1 & \text{otherwise.} \end{cases}$$

Remark 1 Notice that if $T < +\infty$, then $\hat{\kappa}_i(t; t_0, T_{c_i}, T)$ is bounded. Such bound can be user-defined by tuning T .

Now, we are ready to present our main result.

Theorem 5 Let us consider the same observer parameters as in Theorem 3 (i.e., $\alpha, \beta, p, q, k > 0, \zeta_x, \zeta_v, \kappa_{i,x}, \kappa_{i,v}, T_{c_1}, T_{c_2}$). Let $\varrho_1(t) = \hat{\kappa}_1(t; t_0, T_{c_1}, T_\alpha)$ and

$\varrho_2(t) = \hat{\kappa}_2(t; t'_0, T_{c_2}, T_\beta)$ be time-varying gains. T_α and T_β are positive parameters and $t'_0 = t_0 + \eta_1(T_\alpha)T_{c_1}$.

Using the following distributed observer

$$\begin{aligned} \dot{\hat{x}}_i &= \hat{v}_i - \varrho_2(t)\kappa_{i,x} \\ &\times \left[(\alpha|e_{1,i}|^p + \beta|e_{1,i}|^q)^k + \hat{\zeta}_x(t) \right] \text{sign}(e_{1,i}) \\ \dot{\hat{v}}_i &= -\varrho_1(t)\kappa_{i,v} \\ &\times \left[(\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k + \hat{\zeta}_v(t) \right] \text{sign}(e_{2,i}), \end{aligned} \tag{17}$$

with $\hat{\zeta}_x(t) = \varrho_2^{-1}(t)\zeta_x$ and $\hat{\zeta}_v(t) = \varrho_1^{-1}(t)\zeta_v$, the observer error dynamics is fixed-time stable with the UBST given by $T_o = t_0 + \eta_1(T_\alpha)T_{c_1} + \eta_2(T_\beta)T_{c_2}$, with $T_\alpha, T_\beta > 0$.

Let us consider the same control parameters as in Theorem 4 (i.e., $\alpha_1, \alpha_2, \beta_1, \beta_2, \hat{T}_{c_1}, \hat{T}_{c_2} > 0, p', q', k' > 0, \zeta_i, \gamma_1, \gamma_2$) and set $T_{c_3} = \hat{T}_{c_1} + \hat{T}_{c_2}$. Let $\varrho_3(t) = \hat{\kappa}_3(t; T_o, T_{c_3}, T_\gamma)$ be a time-varying gain with T_γ a positive parameter.

Using the following controller

where $v(e_{x,i}, \varrho_3^{-1}(t)e_{v,i})$ is given by (14), the leader-follower consensus is achieved in fixed time with the UBST given by $\hat{T} = T'_o + \eta(T_\gamma)T_{c_3}$.

The proof of Theorem 5 will be divided into two parts. The first part focuses on the observer stability, whereas the second one focuses on the controller stability.

Proof First, let us study the observer error dynamics using the non-autonomous observer (17).

Let us consider the observer errors as in (7). Using (17), the observation error dynamics is expressed as follows

$$\begin{aligned} \dot{\tilde{x}}_i &= \tilde{v}_i - \varrho_2\kappa_{i,x} \left[(\alpha|e_{1,i}|^p + \beta|e_{1,i}|^q)^k + \hat{\zeta}_x \right] \text{sign}(e_{1,i}) \tilde{v}_i \\ &= -\varrho_1\kappa_{i,v} \left[(\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k + \hat{\zeta}_v \right] \text{sign}(e_{2,i}) - u_o. \end{aligned}$$

Now, considering the observer error dynamics of the velocity \tilde{v}_i in the new τ -time variable as follows

$$\frac{d\tilde{v}_i}{d\tau} = \frac{d\tilde{v}_i}{dt} \frac{dt}{d\tau}, \tag{19}$$

and according to the parameter transformation given in Lemma 2,

$$\begin{aligned} \frac{dt}{d\tau} &= \frac{d}{d\tau} (\psi_i(\tau) - t_0) \Big|_{\tau=\psi_i^{-1}(t-t_0; T_{c_i})} \\ &= \rho_i(\psi_i^{-1}(t - t_0); T_{c_i})^{-1} = \hat{\kappa}_i(t; t_0, T_{c_i}, T)^{-1}. \end{aligned} \tag{20}$$

Thus, the observation error dynamics of the velocity given by (19) is rewritten, using (20), as follows

$$\begin{aligned} \frac{d\tilde{v}_i}{d\tau} &= -\hat{\kappa}_1(t; t_0, T_{c_1}, T_\alpha)^{-1} \varrho_{1\kappa_{i,v}} \\ &\quad \times \left[(\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k + \hat{\zeta}_v \right] \text{sign}(e_{2,i}) \\ &\quad - \varpi(\tau), \end{aligned}$$

where $\varpi(\tau) = \hat{\kappa}_1(t; t_0, T_{c_1}, T_\alpha)^{-1} u_0$ with $|u_0| < u_0^{max}$ is the disturbance term and $\hat{\kappa}_1(t; t_0, T_{c_1}, T_\alpha)^{-1} = \varrho_1^{-1}(t)$. Then, the last expression is written as

$$\begin{aligned} \frac{d\tilde{v}_i}{d\tau} &= -\kappa_{i,v} \\ &\quad \times \left[(\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k + \hat{\zeta}_v \right] \text{sign}(e_{2,i}) - \varpi(\tau). \end{aligned} \tag{21}$$

Note that by the definition of the function $\Phi_1(\tau)$, the time-varying gain $\hat{\kappa}_1(t; t_0, T_{c_1}, T_\alpha)^{-1}$ for $t \in [t_0, t_0 + \eta_1(T_\alpha)T_{c_1})$, can be written as $\rho_1(\tau; T_{c_1})^{-1} \forall \tau$, and function $\rho_1(\tau; T_{c_1})^{-1}$ is non-increasing. Besides, $\rho_1(\tau; T_{c_1})^{-1}$ is bounded and $\rho_1(\tau; T_{c_1})^{-1} \rightarrow 0$ as $\tau \rightarrow +\infty$. Then, the disturbance $\varpi(\tau) = \rho_1(\tau; T_{c_1})^{-1} u_o$ is vanishing. Furthermore, notice that $\hat{\zeta}_v(t) = \varrho_1^{-1}(t)\zeta_v$ and $|\varpi(\tau)| < \hat{\zeta}_v, \forall \tau$ since $u_0^{max} \leq \kappa_v \zeta_v$. Then, similarly to (9), the compact form of (21) is

$$\frac{d\tilde{v}}{d\tau} = -\Phi_v(\mathcal{M}(\hat{\mathcal{X}})\tilde{v}) - \mathbf{1}\varpi(\tau) \tag{22}$$

with $\tilde{v} = [\tilde{v}_1 \dots \tilde{v}_N]^T \in \mathbb{R}^N$.

Furthermore, from Theorem 3, the observation error dynamics of velocity (22) is fixed-time stable in the time-variable τ and converges to the origin with a settling time $T'_{c_1} < +\infty$. Then, the observation error in velocity reaches the origin at $T(\tilde{v}_0) =$




Fig. 1 Communication topology with 5 followers

$\lim_{\tau \rightarrow T'_{c_1}} (\psi_1(\tau) + t_0) \leq t_0 + \eta_1(T_\alpha)T_{c_1}; \forall \tilde{v}_0 \in \mathbb{R}^N$ as the initial conditions. In a similar way, the observation error dynamics of the position \tilde{x}_i in the time-variable τ is written as follows

$$\begin{aligned} \frac{d\tilde{x}_i}{d\tau} &= v_i(\tau) \\ &\quad - \kappa_{i,x} \left[(\alpha|e_{2,i}|^p + \beta|e_{2,i}|^q)^k + \hat{\zeta}_x \right] \text{sign}(e_{2,i}) \end{aligned} \tag{23}$$

where $v_i(\tau) = \hat{\kappa}_2(t; t_0 + \eta_1(T_\alpha)T_{c_1}, T_{c_2}, T_\beta)^{-1} \tilde{v}_i$. The compact form of (23) is

$$\frac{d\tilde{x}}{d\tau} = v - \Phi_x(\mathcal{M}(\hat{\mathcal{X}})\tilde{x}) \tag{24}$$

with $v = [v_1 \dots v_N] \in \mathbb{R}^N$. Then, due to $\tilde{v} = 0$ for $t \geq t_0 + \eta_1(T_\alpha)T_{c_1}$, the observation error dynamics of position (24) is fixed-time stable in the time-variable τ and converges to the origin with a settling time $T'_{c_2} < +\infty$. Hence, the observation error in position reaches the origin at $T(\tilde{x}_0) = \lim_{\tau \rightarrow T'_{c_2}} (\psi_2(\tau) + t'_0) \leq t'_0 + \eta_2(T_\beta)T_{c_2}; \forall \tilde{x}_0 \in \mathbb{R}^N$, with $t'_0 = t_0 + \eta_1(T_\alpha)T_{c_1}$. Therefore, the observer error dynamics is fixed-time stable and converges to the origin before the predefined-time $T_o = t_0 + \eta_1(T_\alpha)T_{c_1} + \eta_2(T_\beta)T_{c_2}$. Notice that T'_{c_1} and T'_{c_2} are the settling time for the system in the time-variable τ .

Then, let us study the tracking error dynamics using the non-autonomous controller (18). Consider the following coordinate change

$$\begin{aligned} e_{x,i} &= \tilde{e}_{x,i} \\ e_{v,i} &= \varrho_3(t)\tilde{e}_{v,i} \end{aligned} \tag{25}$$

where $e_{x,i}$ and $e_{v,i}$ are the tracking errors for each agent defined in (13) or, its equivalent in (12) after the convergence of the observation error. Then, the dynamics of the variable $\tilde{e}_i = [\tilde{e}_{x,i}, \tilde{e}_{v,i}]^T$ is the following

$$\begin{aligned} \dot{\tilde{e}}_{x,i} &= \varrho_3 \tilde{e}_{v,i} \\ \dot{\tilde{e}}_{v,i} &= \varrho_3^{-1} u_i - \varrho_3^{-1} \dot{\varrho}_3 \tilde{e}_{v,i} + \varrho_3^{-1} (\Delta_i - u_0). \end{aligned}$$

Now, let us consider the parameter transformation given by Lemma 2 to get the dynamics in τ -variable. Then, the dynamics of (25) expressed in the time-variable τ is

$$\begin{aligned} \frac{d\tilde{e}_{x,i}}{d\tau} &= \tilde{e}_{v,i} \\ \frac{d\tilde{e}_{v,i}}{d\tau} &= \varrho_3^{-2} u_i - \varrho_3^{-2} \dot{\varrho}_3 \tilde{e}_{v,i} + \varrho_3^{-2} (\Delta_i - u_0). \end{aligned} \tag{26}$$

Using the controller (18) for $t \in [T'_o, T'_o + \eta_3(T_\gamma)T_{c_3}]$, system (26) is written as

$$\begin{aligned} \frac{d\tilde{e}_{x,i}}{d\tau} &= \tilde{e}_{v,i} \\ \frac{d\tilde{e}_{v,i}}{d\tau} &= \nu(\tilde{e}_{x,i}, \tilde{e}_{v,i}) + \pi_i(\tau), \end{aligned} \tag{27}$$

with $\pi_i(\tau) = \varrho_3^{-2} (\Delta_i(t) - u_0) \Big|_{t=\psi_3(\tau)+T_o}$. Notice that $\Delta_i(t)$ satisfies $|\Delta_i(t)| \leq \delta_i$ and u_0 is unknown but bounded by $|u_0| \leq u_0^{max}$. By Definition 8, the function $\varrho_3(t)^{-2}$ is non-increasing. Then, $\pi_i(\tau)$ is bounded and $\pi_i(\tau) \rightarrow 0$ as $\tau \rightarrow +\infty$. Thus, from Theorem 4, system (27) is fixed-time stable in the time-variable τ with $T'_{c_3} < +\infty$ as its settling time. Hence, the tracking errors ($\tilde{e}_{x,i}$ and $\tilde{e}_{v,i}$), with $e_0 = [\tilde{e}_{x,i}(T_o), \tilde{e}_{v,i}(T_o)]$ as initial conditions, reach the origin at $T(e_0) = \lim_{\tau \rightarrow T'_{c_3}} (\psi_3(\tau) + T_o) \leq T_o + \eta_3(T_\gamma)T_{c_3}; \forall e_0 \in \mathbb{R}^2$.

Thus, the tracking error dynamics is fixed-time stable with $\eta_3(T_\gamma)T_{c_3}$ as the predefined UBST. Hence, if $T'_o = T_o$ and from the fact that observer (17) estimates the leader state in predefined-time and controller (18) drives the agents toward the leader state trajectory, one can conclude that the leader–follower consensus is achieved in fixed-time before the predefined-time $\hat{T} = T_o + \eta(T_\gamma)T_{c_3}$. At last, if $T'_o = t_o$ and $T_o < \eta(T_\gamma)T_{c_3}$, the leader–follower consensus is achieved before the predefined time $\hat{T} = t_o + \eta(T_\gamma)T_{c_3}$. \square

Remark 2 It is worth noting that the non-autonomous protocol is derived from the autonomous one. As discussed in the next section, this scheme based on bounded time-varying gains has been introduced to improve the convergence time estimation, i.e., the slack between the UBST and the convergence time is reduced.

6 Simulation results

In this section, we illustrate our main results with the autonomous and non-autonomous protocols for the leader–follower consensus problem. In order to compare the autonomous and non-autonomous schemes proposed in this work, we will also compare the slack between the UBST and the real convergence time of the system for each control scheme.

For all schemes, we consider the same scenario for comparison purposes. We consider a multi-agent system composed of $N = 5$ agents where the dynamics of each agent is given by Eq. (5) with an external perturbation $\Delta_i(t) = \sin(40t + 0.1i)$, with $i = 1 \dots N$. The communication topology, given in Fig. 1, is undirected and contains a spanning tree with the leader agent as the root. For the leader, its control input is given by $u_0 = 4 \cos(2t)$ with the initial conditions $[x_0, v_0] = [-1, 0]$. From Fig. 1, one gets $\lambda_{\min}(\mathcal{M}(\hat{\mathcal{X}})) = 0.2907$. The initial conditions of the agents are as follows

$$\begin{aligned} x(0) &= [-10, -5, 0, 5, 10] \\ v(0) &= [0, 0, 0, 0, 0] \end{aligned}$$

and the initial conditions for the observer are randomly set as

$$\begin{aligned} \hat{x}(0) &= [-5.81, -7.82, 4.57, 9.22, 5.94] \\ \hat{v}(0) &= [5.57, -6.42, 4.91, 8.39, -7.87]. \end{aligned}$$

6.1 Fixed-time leader–follower consensus using autonomous protocols

In this subsection, we present the results of the autonomous scheme presented in Sect. 4. According to Theorem 3, the distributed fixed-time observer (6) with $p = 1.5, q = 3.0, k = 0.5, \alpha = 1, \beta = 2, T_{c_1} = 0.9s, T_{c_2} = 0.1, \kappa_x = 3.53, \kappa_v = 31.82$ and $\zeta_v = 0.0678$ guarantees that the observer error converges to zero before the predefined-time $T_{c_1} + T_{c_2} = 1s$. Figure 2 shows the leader state estimation for each agent, while the left column of Fig. 3 shows the observer errors for each agent. One can see in more details in the left column of Fig. 4, the settling time of the observation errors and the UBST as the dotted line, where the settling time for the velocity error (\tilde{v}) is $T_1 \approx 0.013s$, and for the position error (\tilde{x}) is $T_2 \approx 0.143s$. It is possible to see

Fig. 2 Autonomous protocol. Leader states estimation for each agent





Fig. 3 Observation error of each agent



that the settling time for the observation error occurs before the predefined time, i.e., $T_1 < T_{c1}$ for the velocity error and $T_1 + T_2 < T_o$ for the observation error. In the simulation, the controller is activated at the same time that the observer, i.e., $T'_o = 0$ and $T_o < \hat{T}_{c1} + \hat{T}_{c2}$. Then, the controller (14) is applied in order to follow the trajectory of the leader with $p' = 1.5$, $q' = 3.0$, $k' = 0.5$, $\alpha_1 = \alpha_2 = 1/\beta_1 = 1/\beta_2 = 1/4$, $\hat{T}_{c1} = 1s$ and $\hat{T}_{c2} = 1s$. The left column of Fig. 5 shows the tracking error, where the tracking errors e_x and e_v converge to zero before $\hat{T}_c = \hat{T}_{c1} + \hat{T}_{c2} = 2s$ with $T'_o = 0$. One can see in more details in Fig. 6 that the convergence time of the tracking error occurs at $T_3 \approx 1.228s < \hat{T}_c$ where the UBST is plotted in dotted line. The states of the agents are shown in Fig. 7, where it can be

seen that the leader–follower consensus is successfully achieved.

6.2 Fixed-time leader–follower consensus using non-autonomous protocols

The results of the fixed-time observer/controller scheme presented in Sect. 5, using time-varying gains, are shown in this subsection. Consider the same example as in the previous subsection with the same external perturbation.

Now, consider the observer/controller scheme proposed in Theorem 5, where function Φ_i is defined as

$$\Phi_i(\tau) = \hat{\alpha}_i \eta_i^{-1} e^{-\hat{\alpha}_i \tau}$$

Fig. 4 Convergence of the observation error for each agent





Fig. 5 Tracking error for each agent



for $i = 1, 2, 3$ with $\eta_i(T) = 1 - e^{-\hat{\alpha}_i T}$ and $\hat{\alpha}_1 = 220$, $\hat{\alpha}_2 = 90$ and $\hat{\alpha}_3 = 1.8$. This function is used to compute the time-varying gains ϱ_i . Then, the gain $\hat{k}_i(t; t_0, T_{c_i}, T)$ used for the observer (17) and the controller (18), is defined as

$$\hat{k}_i(t; t_0, T_{c_i}, T) = \begin{cases} \frac{\eta_i}{\hat{\alpha}_i(T_{c_i} - \eta_i(t - t_0))} & \text{if } t \in [t_0, t_0 + \eta_i(T)T_{c_i}) \\ 1 & \text{otherwise.} \end{cases}$$

The user-defined parameters are set as follows $T_{c_1} = 0.1s$, $T_{c_2} = 0.9s$ and $T_{c_3} = \hat{T}_{c_1} + \hat{T}_{c_2}$ with $\hat{T}_{c_1} = 1s$ and

$\hat{T}_{c_2} = 1s$, the parameters for η_i are set as $T_\alpha = 0.016$, $T_\beta = 0.055$ and $T_\gamma = 1.5$ for $i = 1, 2, 3$, respectively, $t_0 = 0s$ for the observer and $T'_o = t_0$ for the controller. In order to compare the control scheme proposed in Theorems 3-4 with Theorem 5, the parameters $\alpha_1, \alpha_2, \beta_1, \beta_2, p', q', k'$ for the controller and the parameters $\alpha, \beta, p, q, k, \zeta_x, \zeta_v, \kappa_x, \kappa_v$ for the observer were taken from the result presented in Sect. 6.1. Figure 8 shows the leader state estimation for each agent, while the right column of Fig. 3 shows the observer errors for each agent. One can see in more details in the right column of Fig. 4 the settling time of the observation errors (\tilde{x} and \tilde{v}) and the UBST as the dotted line, where the settling time for the velocity error

Fig. 6 Convergence of the tracking error for each agent




Fig. 7 Autonomous protocol. Trajectories of each agent




Fig. 8 Non-autonomous protocol. Leader states estimation for each agent




Fig. 9 Non-autonomous protocol. Trajectories of each agent




Table 1 Slack of convergence time

	$s(\tilde{v}) = T_{c_1} - T_1$	$s(\tilde{x}) = T_o - T_2$	$s(\tilde{e}) = \hat{T} - T_3$
Autonomous protocol	0.08709	0.8744	0.743
Non-autonomous protocol	0.0023	0.0016	0.1154

\tilde{v} is $T_1 \approx 0.09478s$, and for the position error \tilde{x} is $T_2 \approx 0.9891$. It is possible to see that the settling time for the observation error occurs before the predefined time $T_o = \eta_1(T_\alpha)T_{c_1} + \eta_2(T_\beta)T_{c_2}$. Besides, the controller (18) is applied in order to follow the trajectory of the leader. The right column of Fig. 5 shows the fixed-time convergence of the tracking error (e_x and e_v). One can see in more details in the right column of Fig. 6 that the convergence time of the tracking error occurs at $T_3 \approx 1.952s$. The states of the agents are shown in Fig. 9, where it can be seen that the leader–follower consensus is successfully achieved.

Unlike the control scheme proposed in Theorem 3 (for the observer) and Theorem 4 (for the controller), the slack between the predefined UBST given by the user and the real convergence time is less conservative. Figure 4 shows the convergence of both protocols for the observer, and Fig. 6 shows the convergence of both protocols for the controller, where one can see the UBST as the dotted line and, the difference between the slack of the autonomous and non-autonomous protocols. Moreover, the slack of the non-autonomous protocol can be adjusted by the parameters of the time-varying gain $\hat{\kappa}_i(t; t_0, T_{c_i}, T)$. However, in this case, this gain increases. Thus, one needs to establish a trade-off

between the size of the upper bound for $\hat{\kappa}_i(t; t_0, T_{c_i}, T)$ and how small the slack is.

In order to compare the two protocols presented in this work (autonomous and non-autonomous ones), we will define the slack function $s(x)$ as the error between the predefined UBST and the convergence time of the variable x , i.e., $s(x) = T_c - T$ where T_c is the predefined UBST and T is the actual convergence time. This index for the observation error and the tracking error variables is shown in Table 1. It can be seen that the slack for the non-autonomous protocol is lower than for the autonomous protocol.

These numerical examples show the effectiveness of the proposed consensus protocols.

7 Conclusions

In this work, we presented novel protocols for the problem of consensus tracking with fixed-time convergence, for leader–follower multi-agent systems with double-integrator dynamics, where only a subset of followers has access to the state of the leader. A distributed observer is proposed for each agent to estimate the leader state, and a local controller drives the agents toward the estimated state, both with fixed-time convergence. Two control strategies have been inves-

tigated and compared for the observer and controller parts. The first one is an autonomous protocol which ensures that the UBST is set a priori by the user. Then, the previous strategy is redesigned using time-varying gains to obtain a non-autonomous protocol. This enables to obtain less conservative estimates of the UBST while guaranteeing that the time-varying gains remain bounded. Future work includes the extension of the algorithm to chained form systems or high order MAS, the robustness against faults in the communication links and the extension of the protocol to directed graphs.

Acknowledgements The authors would like to acknowledge the financial support of Intel Corporation for the development of this work.

Compliance with ethical standards

Conflict of interest The authors declare that they have no conflict of interest.

Appendix

Lemma 3 [2] *Let $n \in \mathbb{N}$. If $a = (a_1, \dots, a_n)$ is a sequence of positive numbers, then the following inequality is satisfied*

$$\begin{aligned} & \frac{1}{n} \sum_{i=1}^n a_i (\alpha a_i^p + \beta a_i^q)^k \\ & \geq \left(\frac{1}{n} \sum_{i=1}^n a_i \right) \left(\alpha \left(\frac{1}{n} \sum_{i=1}^n a_i \right)^p \right. \\ & \quad \left. + \beta \left(\frac{1}{n} \sum_{i=1}^n a_i \right)^q \right)^k. \end{aligned} \tag{28}$$

Lemma 4 [9] *Let $z = [z_1 \dots z_n]^T \in \mathbb{R}^n$ and*

$$\|z\|_p = \left(\sum_{i=1}^n |z_i|^p \right)^{\frac{1}{p}}$$

then,

$$\|z\|_l \leq \|z\|_r \tag{29}$$

for $l > r > 0$.

References

1. Aldana-López, R., Gómez-Gutiérrez, D., Jiménez-Rodríguez, E., Sánchez-Torres, J.D., Defoort, M.: On the design of new classes of fixed-time stable systems with predefined upper bound for the settling time. arXiv e-prints (2019)
2. Aldana-López, R., Gómez-Gutiérrez, D., Defoort, M., Sánchez-Torres, J.D., Muñoz-Vázquez, A.J.: A class of robust consensus algorithms with predefined-time convergence under switching topologies. *Int. J. Robust Nonlinear Control* **29**(17), 6179–6198 (2019)
3. Aldana-López, R., Gómez-Gutiérrez, D., Jiménez-Rodríguez, E., Sánchez-Torres, J.D., Loukianov, A.G.: On predefined-time consensus protocols for dynamic networks. *J. Frankl. Inst.* **357**(16), 11880–11899 (2020). <https://doi.org/10.1016/j.jfranklin.2019.11.058>
4. Aldana-López, R., Gómez-Gutiérrez, D., Jiménez-Rodríguez, E., Sánchez-Torres, J.D., Defoort, M.: Enhancing the settling time estimation of a class of fixed-time stable systems. *Int. J. Robust Nonlinear Control* **29**(12), 4135–4148 (2019)
5. Andrieu, V., Praly, L., Astolfi, A.: Homogeneous approximation, recursive observer design, and output feedback. *SIAM J. Control Optim.* **47**(4), 1814–1850 (2008)
6. Anggraeni, P., Defoort, M., Djemai, M., Zuo, Z.: Control strategy for fixed-time leader-follower consensus for multi-agent systems with chained-form dynamics. *Nonlinear Dyn.* **96**(4), 2693–2705 (2019)
7. Angulo, M.T., Moreno, J.A., Fridman, L.: Robust exact uniformly convergent arbitrary order differentiator. *Automatica* **49**(8), 2489–2495 (2013)
8. Arenas, A., Díaz-Guilera, A., Kurths, J., Moreno, Y., Zhou, C.: Synchronization in complex networks. *Phys. Rep.* **469**(3), 93–153 (2008)
9. Basile, G., Marro, G.: *Controlled and Conditioned Invariants in Linear System Theory*. Prentice Hall, Upper Saddle River (1992)
10. Bateman, H., Erdélyi, A., et al.: *Higher Transcendental Functions*, vol. 1. McGraw-Hill, New York (1953)
11. Bhat, S.P., Bernstein, D.S.: Finite-time stability of continuous autonomous systems. *SIAM J. Control Optim.* **38**(3), 751–766 (2000)
12. Bhat, S.P., Bernstein, D.S.: Geometric homogeneity with applications to finite-time stability. *Math. Control Signals Syst.* **17**(2), 101–127 (2005)
13. Cao, W., Zhang, J., Ren, W.: Leader-follower consensus of linear multi-agent systems with unknown external disturbances. *Syst. Control Lett.* **82**, 64–70 (2015)
14. Colunga, J.A., Vázquez, C.R., Becerra, H.M., Gómez-Gutiérrez, D.: Predefined-time consensus of nonlinear first-order systems using a time base generator. *Math. Prob. Eng.* **2018**, Article ID 1957070 (2018). <https://doi.org/10.1155/2018/1957070>
15. Cruz-Zavala, E., Moreno, J.A., Fridman, L.M.: Uniform robust exact differentiator. *IEEE Trans. Autom. Control* **56**(11), 2727–2733 (2011)
16. Defoort, M., Polyakov, A., Demesure, G., Djemai, M., Veluvolu, K.: Leader-follower fixed-time consensus for multi-

- agent systems with unknown non-linear inherent dynamics. *IET Control Theory Appl.* **9**(14), 2165–2170 (2015)
17. Godsil, C., Royle, G.: *Algebraic Graph Theory*, Graduate Texts in Mathematics, vol. 8. Springer-Verlag, New York (2001)
 18. Gómez-Gutiérrez, D.: On the design of nonautonomous fixed-time controllers with a predefined upper bound of the settling time. *Int. J. Robust Nonlinear Control* **30**(10), 3871–3885 (2020)
 19. Guo, W., Lü, J., Chen, S., Yu, X.: Second-order tracking control for leader-follower multi-agent flocking in directed graphs with switching topology. *Syst. Control Lett.* **60**(12), 1051–1058 (2011)
 20. Khalil, H.K., Grizzle, J.: *Nonlinear Systems*, vol. 3. Prentice Hall, Upper Saddle River (2002)
 21. Khoo, S., Xie, L., Man, Z.: Robust finite-time consensus tracking algorithm for multirobot systems. *IEEE/ASME Trans. Mechatron.* **14**(2), 219–228 (2009)
 22. Khoo, S., Xie, L., Zhao, S., Man, Z.: Multi-surface sliding control for fast finite-time leader-follower consensus with high order SISO uncertain nonlinear agents. *Int. J. Robust Nonlinear Control* **24**(16), 2388–2404 (2014)
 23. Li, H., Cai, Y.: On SFTSM control with fixed-time convergence. *IET Control Theory Appl.* **11**(6), 766–773 (2017)
 24. Li, Z., Duan, Z.: *Cooperative Control of Multi-agent Systems: A Consensus Region Approach*. CRC Press, Boca Raton (2014)
 25. Liu, Y., Zhao, Y., Ren, W., Chen, G.: Appointed-time consensus: accurate and practical designs. *Automatica* **89**, 425–429 (2018)
 26. Lu, K., Liu, Z., Lai, G., Chen, C.L.P., Zhang, Y.: Adaptive consensus tracking control of uncertain nonlinear multiagent systems with predefined accuracy. *IEEE Trans. Cybern.* 1–11 (2019). <https://doi.org/10.1109/TCYB.2019.2933436>
 27. Ménard, T., Moulay, E., Perruquetti, W.: Fixed-time observer with simple gains for uncertain systems. *Automatica* **81**, 438–446 (2017)
 28. Morasso, P., Sanguineti, V., Spada, G.: A computational theory of targeting movements based on force fields and topology representing networks. *Neurocomputing* **15**(3–4), 411–434 (1997)
 29. Moulay, E., Perruquetti, W.: Finite-time stability and stabilization: state of the art. In: Edwards, C., Fossas Colet, E., Fridman, L. (eds.) *Advances in Variable Structure and Sliding Mode Control*. Lecture Notes in Control and Information Science, vol. 334, pp. 23–41. Springer, Berlin (2006)
 30. Ni, J., Liu, L., Liu, C., Hu, X., Li, S.: Further improvement of fixed-time protocol for average consensus of multi-agent systems. *IFAC-PapersOnLine* **50**(1), 2523–2529 (2017)
 31. Ni, J., Liu, L., Liu, C., Liu, J.: Fixed-time leader-following consensus for second-order multiagent systems with input delay. *IEEE Trans. Ind. Electron.* **64**(11), 8635–8646 (2017)
 32. Ni, J., Liu, L., Tang, Y., Liu, C.: Predefined-time consensus tracking of second-order multiagent systems. *IEEE Trans. Syst. Man Cybern. Syst.* (2019). <https://doi.org/10.1109/TSMC.2019.2916257>
 33. Ni, W., Cheng, D.: Leader-following consensus of multi-agent systems under fixed and switching topologies. *Syst. Control Lett.* **59**(3), 209–217 (2010)
 34. Ning, B., Han, Q.L., Zuo, Z.: Practical fixed-time consensus for integrator-type multi-agent systems: a time base generator approach. *Automatica* **105**, 406–414 (2019)
 35. Ning, B., Jin, J., Zheng, J., Man, Z.: Finite-time and fixed-time leader-following consensus for multi-agent systems with discontinuous inherent dynamics. *Int. J. Control* **91**(6), 1259–1270 (2018)
 36. Oh, K.K., Park, M.C., Ahn, H.S.: A survey of multi-agent formation control. *Automatica* **53**, 424–440 (2015)
 37. Olfati-Saber, R., Fax, J., Murray, R.: Consensus and cooperation in networked multi-agent systems. *Proc. IEEE* **95**(1), 215–233 (2007)
 38. Olfati-Saber, R., Fax, J.A., Murray, R.M.: Consensus and cooperation in networked multi-agent systems. *Proc. IEEE* **95**(1), 215–233 (2007)
 39. Olfati-Saber, R., Murray, R.M.: Consensus problems in networks of agents with switching topology and time-delays. *IEEE Trans. Autom. Control* **49**(9), 1520–1533 (2004)
 40. Parker, L.E.: *Multiple Mobile Robot Systems*, pp. 921–941. Springer, Berlin (2008)
 41. Polyakov, A.: Nonlinear feedback design for fixed-time stabilization of linear control systems. *IEEE Trans. Autom. Control* **57**(8), 2106–2110 (2012)
 42. Polyakov, A., Efimov, D., Perruquetti, W.: Finite-time and fixed-time stabilization: implicit lyapunov function approach. *Automatica* **51**, 332–340 (2015)
 43. Polyakov, A., Efimov, D., Perruquetti, W.: Robust stabilization of MIMO systems in finite/fixed time. *Int. J. Robust Nonlinear Control* **26**(1), 69–90 (2016)
 44. Ren, H.P., Baptista, M.S., Grebogi, C.: Wireless communication with chaos. *Phys. Rev. Lett.* **110**(18), 184101 (2013)
 45. Ren, W.: Distributed attitude alignment in spacecraft formation flying. *Int. J. Adapt. Control Signal Process.* **21**(2–3), 95–113 (2007)
 46. Ren, W.: Consensus tracking under directed interaction topologies: algorithms and experiments. *IEEE Trans. Control Syst. Technol.* **18**(1), 230–237 (2010)
 47. Ren, W., Beard, R.W.: *Distributed Consensus in Multi-vehicle Cooperative Control*. Springer, Berlin (2008)
 48. Sánchez-Torres, J.D., Gómez-Gutiérrez, D., López, E., Loukianov, A.G.: A class of predefined-time stable dynamical systems. *IMA J. Math. Control Inf.* **35**(Suppl 1), i1–i29 (2018)
 49. Shang, Y.: Finite-time consensus for multi-agent systems with fixed topologies. *Int. J. Syst. Sci.* **43**(3), 499–506 (2012)
 50. Shi, S., Xu, S., Liu, W., Zhang, B.: Global fixed-time consensus tracking of nonlinear uncertain multiagent systems with high-order dynamics. *IEEE Trans. Cybern.* **50**(4), 1530–1540 (2020)
 51. Tian, B., Lu, H., Zuo, Z., Yang, W.: Fixed-time leader-follower output feedback consensus for second-order multiagent systems. *IEEE Trans. Cybern.* **49**(4), 1545–1550 (2019)
 52. Tian, B., Zuo, Z., Yan, X., Wang, H.: A fixed-time output feedback control scheme for double integrator systems. *Automatica* **80**, 17–24 (2017)
 53. Wang, Y., Song, Y., Hill, D.J., Krstic, M.: Prescribed finite time consensus of networked multi-agent systems. In: *2017 IEEE 56th Annual Conference on Decision and Control (CDC)*, pp. 4088–4093. IEEE (2017)

54. Wang, Y., Song, Y., Hill, D.J., Krstic, M.: Prescribed-time consensus and containment control of networked multiagent systems. *IEEE Trans. Cybern.* **49**(4), 1138–1147 (2019)
55. Xu, Y., Han, T., Cai, K., Lin, Z., Yan, G., Fu, M.: A distributed algorithm for resource allocation over dynamic digraphs. *IEEE Trans. Signal Process.* **65**(10), 2600–2612 (2017)
56. Yong, C., Guangming, X., Huiyang, L.: Reaching consensus at a preset time: single-integrator dynamics case. In: 31st Chinese Control Conference (CCC), pp. 6220–6225 (2012)
57. Yucelen, T., Kan, Z., Pasiliao, E.: Finite-time cooperative engagement. *IEEE Trans. Autom. Control* **64**(8), 3521–3526 (2019)
58. Zhang, H., Lewis, F.L.: Adaptive cooperative tracking control of higher-order nonlinear systems with unknown dynamics. *Automatica* **48**(7), 1432–1439 (2012)
59. Zhao, L.W., Hua, C.C.: Finite-time consensus tracking of second-order multi-agent systems via nonsingular TSM. *Nonlinear Dyn.* **75**(1–2), 311–318 (2014)
60. Zhao, Y., Liu, Y., Wen, G., Ren, W., Chen, G.: Designing distributed specified-time consensus protocols for linear multiagent systems over directed graphs. *IEEE Trans. Autom. Control* **64**(7), 2945–2952 (2019)
61. Zuo, Z.: Non-singular fixed-time terminal sliding mode control of non-linear systems. *IET Control Theory Appl.* **9**(4), 545–552 (2015)
62. Zuo, Z.: Nonsingular fixed-time consensus tracking for second-order multi-agent networks. *Automatica* **54**, 305–309 (2015)
63. Zuo, Z., Defoort, M., Tian, B., Ding, Z.: Fixed-time stabilization of second-order uncertain multivariable nonlinear systems. In: 2016 35th Chinese Control Conference (CCC), pp. 907–912 (2016)
64. Zuo, Z., Tian, B., Defoort, M., Ding, Z.: Fixed-time consensus tracking for multiagent systems with high-order integrator dynamics. *IEEE Trans. Autom. Control* **63**(2), 563–570 (2018)
65. Zuo, Z., Tie, L.: A new class of finite-time nonlinear consensus protocols for multi-agent systems. *Int. J. Control* **87**(2), 363–370 (2014)
66. Zuo, Z., Tie, L.: Distributed robust finite-time nonlinear consensus protocols for multi-agent systems. *Int. J. Syst. Sci.* **47**(6), 1366–1375 (2016)

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Terms and Conditions

Springer Nature journal content, brought to you courtesy of Springer Nature Customer Service Center GmbH (“Springer Nature”). Springer Nature supports a reasonable amount of sharing of research papers by authors, subscribers and authorised users (“Users”), for small-scale personal, non-commercial use provided that all copyright, trade and service marks and other proprietary notices are maintained. By accessing, sharing, receiving or otherwise using the Springer Nature journal content you agree to these terms of use (“Terms”). For these purposes, Springer Nature considers academic use (by researchers and students) to be non-commercial.

These Terms are supplementary and will apply in addition to any applicable website terms and conditions, a relevant site licence or a personal subscription. These Terms will prevail over any conflict or ambiguity with regards to the relevant terms, a site licence or a personal subscription (to the extent of the conflict or ambiguity only). For Creative Commons-licensed articles, the terms of the Creative Commons license used will apply.

We collect and use personal data to provide access to the Springer Nature journal content. We may also use these personal data internally within ResearchGate and Springer Nature and as agreed share it, in an anonymised way, for purposes of tracking, analysis and reporting. We will not otherwise disclose your personal data outside the ResearchGate or the Springer Nature group of companies unless we have your permission as detailed in the Privacy Policy.

While Users may use the Springer Nature journal content for small scale, personal non-commercial use, it is important to note that Users may not:

1. use such content for the purpose of providing other users with access on a regular or large scale basis or as a means to circumvent access control;
2. use such content where to do so would be considered a criminal or statutory offence in any jurisdiction, or gives rise to civil liability, or is otherwise unlawful;
3. falsely or misleadingly imply or suggest endorsement, approval, sponsorship, or association unless explicitly agreed to by Springer Nature in writing;
4. use bots or other automated methods to access the content or redirect messages
5. override any security feature or exclusionary protocol; or
6. share the content in order to create substitute for Springer Nature products or services or a systematic database of Springer Nature journal content.

In line with the restriction against commercial use, Springer Nature does not permit the creation of a product or service that creates revenue, royalties, rent or income from our content or its inclusion as part of a paid for service or for other commercial gain. Springer Nature journal content cannot be used for inter-library loans and librarians may not upload Springer Nature journal content on a large scale into their, or any other, institutional repository.

These terms of use are reviewed regularly and may be amended at any time. Springer Nature is not obligated to publish any information or content on this website and may remove it or features or functionality at our sole discretion, at any time with or without notice. Springer Nature may revoke this licence to you at any time and remove access to any copies of the Springer Nature journal content which have been saved.

To the fullest extent permitted by law, Springer Nature makes no warranties, representations or guarantees to Users, either express or implied with respect to the Springer nature journal content and all parties disclaim and waive any implied warranties or warranties imposed by law, including merchantability or fitness for any particular purpose.

Please note that these rights do not automatically extend to content, data or other material published by Springer Nature that may be licensed from third parties.

If you would like to use or distribute our Springer Nature journal content to a wider audience or on a regular basis or in any other manner not expressly permitted by these Terms, please contact Springer Nature at

onlineservice@springernature.com